

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services- I & CAD Department - Sri N. Benarjee , formerly Anicut Superintendent & Assistant Engineer, Vijayawada (retired) expired on 22.6.2010- Disciplinary action initiated for Negligence and improper arrangements at Krishna Barriage in connection with Krishna Pushkarams, 2004 works and lead to human loss – Further action dropped - regularization of suspension period from 29-08-2004 to 30-04-2004 as “Duty” –orders – issued

=====

IRRIGATION & CAD (SER.X.2) DEPARTMENT

G.O.Rt.No. 933

Dt: 15.09.2011

Read the following:

1. G.O.Rt.No.1044, I & CAD(Ser.X.2) Dept., dt. 28.8.2004
2. Proc.No. A2/4878/2004, dt. 26.10.2004 of the District Collector, Krishna district
3. Govt.Memo.No.19372/Ser.X.2/2004-5, dt. 4.10.2005.
4. G.O.Rt.No.1435, I&CAD (Ser.X.2) Dept., dt.4.10.2005.
5. G.O.Rt.No.1214, I & CAD(Ser.X.2) Dept., dt.29.8.2006.
- 6.. G.O.Rt.No.596, I & CAD(Ser.X.2) Dept., dt.29.8.2006
7. From GAD(COI-JR) Dept., D.O.Lr.No.1095/COI-CK/2008, dt. 23.01.2009
8. G.O.Rt.No.538, I & CAD(Ser.X.2) Dept., dt. 4.5.2009
9. From the E NC (AW), Hyderabad, Letter No.RC/ENC/ S1(2)/ 26815/ 2004, dated 6.9.2011

ORDER:

&&&

In the reference 1st read above, Government have issued orders placing Sri N. Benarjee, Anicut Superintendent & AE under suspension for the negligence and improper arrangements at Krishna Barriage in connection with Krishna Pushkarams, 2004 .

In the reference 2nd read above, the District Collector, and Magistrate, Krishna has issued proceedings revoking the suspension orders issued against the AE,. Subsequently, the same was ratified by the Government in the reference 3rd read above.

In the reference 4th read above, Articles of Charges were issued against Sri N. Benerjee, Anicut Superintendent & AE among other engineering officials for the said allegations, and obtained their WSSDs. After detailed examination of the WSSDs of the charged officers, the case was entrusted to the COI for conducting regular inquiry on the charges framed against the AE and other Charged officers.

In the reference 7th read above, the Inquiring authority has submitted detailed inquiry report stating that the incident happened due to lack coordination among several Departments, and there is no mollified or corruption angle in this case, and recommended to drop charges against the C.Os. with a warning.

Government after careful examination of the inquiry report, it has been decided to drop further action against Sri N. Benarjee, Anicut superintendent & AE along with other engineering officials. Accordingly orders were issued in the reference 8th read above dropping further action against Sri N. Benarjee, Anicut superintendent & AE. and other (5) Engineering officials .

//2//

In the reference 9th read above, the ENC (AW) has stated that Sri N, Benarjee, Assistant Engineer was expired on 22.6.2010. and Smt. Ch. Seethamma W/o. late N. Benarjee has represented for release of pensionary benefits of demised Assistant Engineer. He has also stated that the suspension period of late N. Benarjee, AE w.e.f. 29.8.2004 to 30.10.2004 has to be regularized for release of pensionary benefits. He has therefore requested the Government to regularize the suspension period of the said AE, so as to release the pensionary benefits to the dependents of the late N. Benarjee, AE.

Government after careful examination of the matter, it has been decided to regularize the suspension period of late N. Benarjee, Anicut superintendent & AE, Vijayawada w.e.f 29-8-2004 to 30-10-2004 as "DUTY", so as to enable to release the pensionary benefits to the dependents of the late N. Benarjee .AE. Accordingly, the suspension period of late N. Benarjee, AE w.e.f. 29-8-2004 to 30-10-2004 is hereby regularized as "DUTY".

The Engineer-In-Chief (Administration Wing) is requested to take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (AW),
Irrigation & CAD Dept., Hyderabad.
Smt. Ch. Seethamma W/o. late N. Benarjee
through the Engineer-in-Chief (AW),
Irrigation & CAD Dept., Hyderabad.
Copy to:
The Account General .A.P, Hyderabad.
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER